

LED Water-Proofing Tube

1. Product Features :

- 270 Degree beam angle,
- High Luminous Efficiency (120 Lm/W)
- Full plastic design for water-proofing (Optional)
- LED Pass LM80 test
- Certification: CE, LVD, BSMI, CNS 15438




1. Product Specification :



Product Name	LED Tube
Model Name	TLN52000
Power Consumption	21W
Luminous Flux	6000 K: 2500 lm 4000 K: 2300 lm
Illuminance(@1M)	450 Lux
Mask	Diffusing
Beam Angle	270°
Light Color	Cold White(6000K)/Natural White(4000K)/Warm White(3000K)
CRI	75 Ra
Input Voltage	100~240 VAC / 50~60Hz
Power Factor	0.9@110V, 0.85@230V
Operating Temp.	0 ~ 40 °C
Storage Temp	-20 ~ 60 °C
Water Proof	Optional
Life Span	40,000 Hours
Warranty	2 Years

Remarks: The tolerance of related electrical & lighting parameters is 10%. Ex. Power Consumption, Luminance Flux, Illuminance, and CRI

3. Dimension :




4. Distribution Diagram(2 Ft) :



5. Packaging Information :

6. Thermal Image :



7. Luminance Decay Test Data :

Date(2012~2013)	Aug. 15	Nov. 21	Dec. 18	Jan. 15	Feb. 6
Burning Time(Hours)	0	2352	3000	3672	4200
Initial(%)	100.00%	98.37%	98.47%	97.14%	100.76%
Thermal Equilibrium(%)	100.00%	98.50%	98.23%	97.16%	100.59%
Luminance Flux (Initial)	1961 lm	1929 lm	1931 lm	1905 lm	1976 lm
Luminance Flux (Thermal Equilibrium)	1866 lm	1838 lm	1833 lm	1813 lm	1877 lm
Wattage(W)	20.57	20.6	20.6	20.6	20.6

PS.

1. Each LED Current@95mA
2. Ambient Temperature is 42°C

8. Product Pictures :



9. CE Certification :

9.1 EMC

	
VERIFICATION OF COMPLIANCE	
This Verification of Compliance is hereby issued to the product designated below.	
Product	LED Tube
Model	TLNxxxx00-xxxx (Please refer to appendix)
Trade Name	LYO
Applicant	LanYang Optics No.9, Ln. 15, Xiangcheng Rd., Dongshan Township, Yilan County 269, Taiwan (R.O.C.)
Applicable Standard(s)	EN 55015:2006 + A2:2009 EN 61000-3-2:2006+ A2:2009 EN 61000-3-3:2008 EN 61547:2009, including IEC 61000-4-2:2008 IEC 61000-4-3:2006 + A1:2007 + A2:2010 IEC 61000-4-4:2004 + A1:2010 IEC 61000-4-5:2005 IEC 61000-4-6:2008 IEC 61000-4-8:2009 IEC 61000-4-11:2004
Reference No.	T130415D05-E
Test Laboratory	Compliance Certification Services Inc. (Hsin-Chu Lab) NO. 989-1 Wen Shan Rd., Shang Shan Village, Qionglin Shiang Hsinchu County 30741, Taiwan, R.O.C Tel: +886-3-5921698 / Fax: +886-3-5921108
<p>This device has been tested and found to comply with the stated standard(s), which is(are) required by the Council Directive of 2004/108/EC. The test results are indicated in the test report and are applicable only to the tested sample identified in the report.</p>	
 Michael Yu / Lab. Manager	
 程智科技股份有限公司 Compliance Certification Services Inc.	

9.2 Safety



SUPERIOR PRODUCT CONSULTING, INC.

3F, No. 10, Alley 6, Lane 235, Pao Chiao Rd., Hsien Tien, New Taipei City, Taiwan

TEL:02-29174137 FAX:02-29184517



CERTIFICATION OF CONFORMITY

According to the LVD Directive 2006/95/EC

Type of Product.....: LED Tube

Model Designation: TLNX1X200-X30X4X5

X1 can be 1 (1 Ft), 2 (2 Ft), 3 (3 Ft), 4 (4 Ft),
5 (for marketing purpose) for tube length.

X2 can be 07 (7W), 10 (10 W), 15 (15 W), 20
(20 W) for power consumption.

X3, X4, X5 can be 0-9 or A-Z or blank for
marketing purpose.

Manufacturer's Name.....: LanYang Optics Co. LTD

Manufacturer's Address: No.9, Ln. 15, Xiangcheng Rd., Dongshan
Township, Yilan County 269, Taiwan (R.O.C.)

Report Reference No.: SPCLVD 1304047

The above equipment was tested by Superior Product Consulting Inc., for compliance with the requirements set forth in the LVD Directive 2006/95/EC and the technical standards mentioned below. The results of testing in the report apply only to the product which was tested. Other similar equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

IEC62560:2011, draft IEC62560 Annex C

EN61347-2-13: 2006, EN60598-1: 2008

EN62471-1: 2008; IEC62471: 2009 , EN61195:1999